

| | | | | | |
|--------------------|------------------------------------|------|--------------|-------|--------|
| Applicable Site(s) | Suttons | Ref. | TH 796546001 | | |
| Subject | NGC TUBE DATA SHEET THAILAND | PCN | 500000011048 | Issue | G2 |
| | | Page | | | 1 of 3 |

Safety count is 3 for each coin

| Coin desc/part number | NGC tube number | NGC tube base number | Coin Thickness in µm | Coin Diameter in mm | Tube Base Offset | | Full Count | Max Fill Count | Tube position restrictions (i.e. not in tube....) |
|-------------------------------|-----------------|----------------------|----------------------|---------------------|------------------|-----|------------|----------------|---|
| | | | | | A | B | | | |
| TH 1 BAHT 1986 103087002 | Tube 20 | Lt. Blue | 1540 | 20 | A | 82 | 107 | 94 | D,E |
| | | | | | B | 74 | | | |
| | | | | | C | 81 | | | |
| | 728111008 | 794604001 | | | D | 100 | | | |
| | | | | | E | 100 | | | |
| TH 5 BAHT 1988 103083004 | Tube 25 | Cherry Red | 2300 | 24 | A | 111 | 71 | 61 | B |
| | | | | | B | 100 | | | |
| | | | | | C | 102 | | | |
| | 728117005 | 796842001 | | | D | 95 | | | |
| | | | | | E | 92 | | | |
| TH 10 BAHT 1988 103089006 | Tube 27 | Blue | 2150 | 26.10 | A | 71 | 76 | 64 | B |
| | | | | | B | 100 | | | |
| | | | | | C | 101 | | | |
| | 728115006 | 728137008 | | | D | 107 | | | |
| | | | | | E | 76 | | | |
| TH 1 BAHT 2009- 103082030 | Tube 20 | Lt. Blue | 1410 | 20.0 | A | 77 | 117 | 102 | D,E |
| | | | | | B | 66 | | | |
| | | | | | C | 69 | | | |
| | 728111008 | 794604001 | | | D | 100 | | | |
| | | | | | E | 100 | | | |
| TH 2 BAHT 2009- 103081027 | Tube 22 | Aztec Gold | 1550 | 21.84 | A | 85 | 106 | 92 | D,E |
| | | | | | B | 79 | | | |
| | | | | | C | 88 | | | |
| | 728119009 | 728134013 | | | D | 100 | | | |
| | | | | | E | 100 | | | |
| TH 5 BAHT 2009 - 103089028 | Tube 25 | Black | 1740 | 23.92 | A | 76 | 94 | 81 | B |
| | | | | | B | 100 | | | |
| | | | | | C | 78 | | | |
| | 728117005 | 793530001 | | | D | 74 | | | |
| | | | | | E | 72 | | | |
| TH 10 BAHT 2009- 103087029 | Tube 27 | Blue | 2140 | 25.99 | A | 83 | 77 | 64 | B |
| | | | | | B | 100 | | | |
| | | | | | C | 98 | | | |
| | 728115006 | 728137008 | | | D | 118 | | | |
| | | | | | E | 74 | | | |

| | | | | | |
|--------------------|------------------------------------|------|--------------|-------|--------|
| Applicable Site(s) | Suttons | Ref. | TH 796546001 | | |
| Subject | NGC TUBE DATA SHEET THAILAND | PCN | 500000011048 | Issue | G2 |
| | | Page | | | 2 of 3 |

Safety count is 3 for each coin

Safety count is 3 for each coin

Notes on filling out the Tube Data Sheet

The example below shows a completed row for the 1c coin

| Coin desc/partnumber | NGC tube number | NGC tube base number | Coin Thickness in μm | Coin Diameter in mm | Tube Base Offset | | Full Count* | Max Fill Count | Tube position restrictions (i.e. not in tube....) |
|----------------------|-----------------|----------------------|---------------------------------|---------------------|------------------|----|-------------|----------------|---|
| | | | | | A | B | | | |
| 1c | 20 | Light Blue | 1512 | 19.0 | A | 80 | 109 | 96 | D,E |
| | | | | | B | 68 | | | |
| | | | | | C | 90 | | | |
| | | | | | D | 71 | | | |
| | | | | | E | 71 | | | |
| | 728111008 | 794604001 | | | | | | | |

Coin Thickness

This figure is used by the Acoustic system in order to calculate coin counts in tubes. It is normally based on the average coin thickness, but may be based on practical measurements.

Tube Base Offset

This is an adjustment used by the acoustic system when measuring an empty tube in order to correct for slight errors in base measurements. Practical measurements and data collection is required in order to determine these figures.

Note: number is offset binary with 100 = 0 offset (i.e. >100 indicates +ve offset, <100 indicates -ve offset)

Full Count

Full Count is the height of the tube divided by the coin thickness

The height of the tube has been defined as 165mm – Steve Boxall 25th Sept 2003-09-26

Max Fill Count

This is the height of the tube minus a coin diameter, divided by the coin thickness (e.g. (full – diameter) / thickness)

Tube Position Restrictions

This is the tube position(s) that this coin cannot be fitted to.

